

§ 585.614

revised plan making the necessary corrections, and may suspend the term of your lease, as appropriate, to allow this to occur.

ACTIVITIES UNDER AN APPROVED SAP

§ 585.614 When may I begin conducting activities under my approved SAP?

(a) You may begin conducting the activities approved in your SAP following BOEM approval of your SAP.

(b) If you are installing a facility or a combination of facilities deemed by BOEM to be complex or significant, as provided in § 585.613(a)(1), you must comply with the requirements of subpart G of this part and submit your Safety Management System required by § 585.810 before construction may begin.

§ 585.615 What other reports or notices must I submit to BOEM under my approved SAP?

(a) You must notify BOEM in writing within 30 days of completing installation activities approved in your SAP.

(b) You must prepare and submit to BOEM a report annually on November 1 of each year that summarizes your site assessment activities and the results of those activities. BOEM will withhold trade secrets and commercial or financial information that is privileged or confidential from public disclosure under exemption 4 of the FOIA and as provided in § 585.113.

(c) You must submit a certification of compliance annually (or other frequency as determined by BOEM) with certain terms and conditions of your SAP that BOEM identifies under § 585.613(e)(1). Together with your certification, you must submit:

(1) Summary reports that show compliance with the terms and conditions which require certification; and

(2) A statement identifying and describing any mitigation measures and monitoring methods and their effectiveness. If you identified measures that were not effective, you must include your recommendations for new mitigation measures or monitoring methods.

30 CFR Ch. V (7–1–13 Edition)

§ 585.616 [Reserved]

§ 585.617 What activities require a revision to my SAP, and when will BOEM approve the revision?

(a) You must notify BOEM in writing before conducting any activities not described in your approved SAP, describing in detail the type of activities you propose to conduct. We will determine whether the activities you propose are authorized by your existing SAP or require a revision to your SAP. We may request additional information from you, if necessary, to make this determination.

(b) BOEM will periodically review the activities conducted under an approved SAP. The frequency and extent of the review will be based on the significance of any changes in available information and on onshore or offshore conditions affecting, or affected by, the activities conducted under your SAP. If the review indicates that the SAP should be revised to meet the requirements of this part, we will require you to submit the needed revisions.

(c) Activities for which a proposed revision to your SAP will likely be necessary include:

(1) Activities not described in your approved SAP;

(2) Modifications to the size or type of facility or equipment you will use;

(3) Changes in the surface location of a facility or structure;

(4) Addition of a facility or structure not contemplated in your approved SAP;

(5) Changes in the location of your onshore support base from one State to another, or to a new base requiring expansion;

(6) Changes in the location of bottom disturbances (anchors, chains, *etc.*) by 500 feet (152 meters) or greater from the approved locations. If a specific anchor pattern was approved as a mitigation measure to avoid contact with bottom features, any change in the proposed bottom disturbances would likely trigger the need for a revision;

(7) Structural failure of one or more facilities; or

(8) Changes to any other activity specified by BOEM.

Ocean Energy Management, Interior

§ 585.621

(d) We may begin the appropriate NEPA analysis and other relevant consultations when we determine that a proposed revision could:

(1) Result in a significant change in the impacts previously identified and evaluated;

(2) Require any additional Federal authorizations; or

(3) Involve activities not previously identified and evaluated.

(e) When you propose a revision, we may approve the revision if we determine that the revision is:

(1) Designed not to cause undue harm or damage to natural resources; life (including human and wildlife); property; the marine, coastal, or human environment; or sites, structures, or objects of historical or archaeological significance; and

(2) Otherwise consistent with the provisions of subsection 8(p) of the OCS Lands Act.

§ 585.618 What must I do upon completion of approved site assessment activities?

(a) If, prior to the expiration of your site assessment term, you timely submit a COP meeting the requirements of this subpart, or a complete FERC license application, that describes the continued use of existing facilities approved in your SAP, you may keep such facilities in place on your lease during the time that BOEM reviews your COP for approval or FERC reviews your license application for approval.

(b) You are not required to initiate the decommissioning process for facilities that are authorized to remain in place under your approved COP or approved FERC license.

(c) If, following the technical and environmental review of your submitted COP, BOEM determines that such facilities may not remain in place, you must initiate the decommissioning process, as provided in subpart I of this part.

(d) If FERC determines that such facilities may not remain in place, you must initiate the decommissioning process as provided in subpart I of this part.

(e) You must initiate the decommissioning process, as set forth in subpart

I of this part, upon the termination of your lease.

§ 585.619 [Reserved]

CONSTRUCTION AND OPERATIONS PLAN FOR COMMERCIAL LEASES

§ 585.620 What is a Construction and Operations Plan (COP)?

The COP describes your construction, operations, and conceptual decommissioning plans under your commercial lease, including your project easement. BOEM will withhold trade secrets and commercial or financial information that is privileged or confidential from public disclosure under exemption 4 of the FOIA and in accordance with the terms of § 585.113.

(a) Your COP must describe all planned facilities that you will construct and use for your project, including onshore and support facilities and all anticipated project easements.

(b) Your COP must describe all proposed activities including your proposed construction activities, commercial operations, and conceptual decommissioning plans for all planned facilities, including onshore and support facilities.

(c) You must receive BOEM approval of your COP before you can begin any of the approved activities on your lease.

§ 585.621 What must I demonstrate in my COP?

Your COP must demonstrate that you have planned and are prepared to conduct the proposed activities in a manner that conforms to your responsibilities listed in § 585.105(a) and:

(a) Conforms to all applicable laws, implementing regulations, lease provisions, and stipulations or conditions of your commercial lease;

(b) Is safe;

(c) Does not unreasonably interfere with other uses of the OCS, including those involved with National security or defense;

(d) Does not cause undue harm or damage to natural resources; life (including human and wildlife); property; the marine, coastal, or human environment; or sites, structures, or objects of historical or archaeological significance;